We claim:

- 1. A method of making a crosslinked polymer comprising the steps of:
 - a) providing a highly fluorinated fluoropolymer comprising: a backbone derived in part from tetrafluoroethylene monomer, first pendent groups which include a group according to the formula -SO₂X, where X is F, Cl, Br, OH or -O-M+, where M+ is a monovalent cation, and second pendent groups which include a halogen atom selected from the group consisting of Br, Cl and I; and
 - b) exposing said fluoropolymer to electron beam radiation so as to result in the formation of crosslinks.

10

5

- 2. The method according to claim 1 wherein said method additionally comprises, prior to said step b), the step of:
 - c) forming said fluoropolymer into a membrane.
- 15 3. The method according to claim 1 wherein said membrane has a thickness of 90 microns or less.
 - 4. The method according to claim 1 wherein said step of exposing said fluoropolymer to electron beam radiation comprises exposing said fluoropolymer to greater than 1 Mrad of electron beam radiation.
 - 5. The method according to claim 1 wherein said step of exposing said fluoropolymer to electron beam radiation comprises exposing said fluoropolymer to greater than 3 Mrad of electron beam radiation.

25

- 6. The method according to claim 1 wherein said step of exposing said fluoropolymer to electron beam radiation comprises exposing said fluoropolymer to greater than 15 Mrad of electron beam radiation.
- 7. The method according to claim 1 wherein said highly fluorinated fluoropolymer is perfluorinated.

- 8. The method according to claim 1 wherein said pendent groups are according to the formula -R¹-S0₂X, where R¹ is a branched or unbranched perfluoroalkyl or perfluoroether group comprising 1-15 carbon atoms and 0-4 oxygen atoms, and where X is F, Cl, Br, OH or -O⁻M⁺, where M⁺ is a monovalent cation.
 - 9. The method according to claim 1 wherein said pendent groups are groups according to the formula -O-(CF₂)₄-SO₂X, where X is F, Cl, Br, OH or -O-M+, where M+ is a monovalent cation.
- 10. The method according to claim 1 wherein said pendent groups are groups according to the formula -O-(CF₂)₄-SO₃H.

- 11. The method according to claim 1 wherein said halogen atom included in said second pendent groups is Br.
 - 12. The method according to claim 8 wherein said halogen atom included in said second pendent groups is Br.
- 20 13. The method according to claim 2 wherein said pendent groups are according to the formula -R¹-S0₂X, where R¹ is a branched or unbranched perfluoroalkyl or perfluoroether group comprising 1-15 carbon atoms and 0-4 oxygen atoms, and where X is F, Cl, Br, OH or -O-M+, where M+ is a monovalent cation.
- 25 14. The method according to claim 2 wherein said pendent groups are groups according to the formula -O-(CF₂)₄-SO₂X, where X is F, Cl, Br, OH or -O-M+, where M+ is a monovalent cation.

- 15. The method according to claim 2 wherein said pendent groups are groups according to the formula $-O-(CF_2)_4-SO_3H$.
- 16. The method according to claim 2 wherein said halogen atom included in said5 second pendent groups is Br.
 - 17. The method according to claim 3 wherein said halogen atom included in said second pendent groups is Br.
- 18. The method according to claim 3 wherein said pendent groups are according to the formula -R¹-S0₂X, where R¹ is a branched or unbranched perfluoroalkyl or perfluoroether group comprising 1-15 carbon atoms and 0-4 oxygen atoms, and where X is F, Cl, Br, OH or -O-M+, where M+ is a monovalent cation.
- 15 19. The method according to claim 3 wherein said pendent groups are groups according to the formula -O-(CF₂)₄-SO₂X, where X is F, Cl, Br, OH or -O-M+, where M+ is a monovalent cation.
- 20. The method according to claim 3 wherein said pendent groups are groups according to the formula -O-(CF₂)₄-SO₃H.
 - 21. The method according to claim 3 wherein said halogen atom included in said second pendent groups is Br.
- 25 22. The method according to claim 18 wherein said halogen atom included in said second pendent groups is Br.
 - 23. The method according to claim 4 wherein said pendent groups are according to the formula $-R^1-S0_2X$, where R^1 is a branched or unbranched perfluoroalkyl or

perfluoroether group comprising 1-15 carbon atoms and 0-4 oxygen atoms, and where X is F, Cl, Br, OH or -O-M+, where M+ is a monovalent cation.

- 24. The method according to claim 4 wherein said pendent groups are groups

 5 according to the formula -O-(CF₂)₄-SO₂X, where X is F, Cl, Br, OH or -O-M+, where

 M+ is a monovalent cation.
 - 25. The method according to claim 4 wherein said pendent groups are groups according to the formula -O-(CF₂)₄-SO₃H.
- 26. The method according to claim 4 wherein said halogen atom included in said second pendent groups is Br.

10

- 27. The method according to claim 23 wherein said halogen atom included in said
 second pendent groups is Br.
 - 28. The method according to claim 1 wherein step c) comprises imbibing said fluoropolymer into a porous supporting matrix.
- 20 29. The method according to claim 28 wherein said porous supporting matrix is a porous polytetrafluoroethylene web.
 - 30. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 1.
 - 31. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 2.
- 32. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 3.

- 33. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 4.
- 34. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 5.
 - 35. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 6.
- 10 36. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 7.
 - 37. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 8.
 - 38. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 9.
- 39. A polymer electrolyte membrane comprising the crosslinked polymer made
 according to the method of claim 10.
 - 40. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 11.
- 25 41. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 12.
 - 42. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 13.

- 43. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 14.
- 44. A polymer electrolyte membrane comprising the crosslinked polymer madeaccording to the method of claim 15.
 - 45. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 16.
- 10 46. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 17.
 - 47. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 18.
 - 48. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 19.
- 49. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 20.
 - 50. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 21.
- 25 51. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 22.
 - 52. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 23.

- 53. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 24.
- 54. A polymer electrolyte membrane comprising the crosslinked polymer madeaccording to the method of claim 25.
 - 55. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 26.
- 10 56. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 27.
 - 57. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 28.
 - 58. A polymer electrolyte membrane comprising the crosslinked polymer made according to the method of claim 29.